

Boat Manufactured By:



PO Box 399 • Ridgville, SC 29472

{0:(843) 873-0112}

www.keywestboatsinc.com

KEY WEST® 263 FS

Length	26' 3"
Beam	9' 3"
Dry Weight (Boat Mfr. Pub)	4,800 lbs
Maximum HP	500 hp
Fuel Capacity	175 gal
Weight as Tested	6,676 lbs

F200XCA / LF200XCA

Horsepower	200 hp
Induction	EFI
Displacement	2.8 L
Weight (Estimated)	492 lbs
Gear Ratio	1.86:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
Ventilation Plate Height	1/2" Above Boat Bottom

PROPELLER(S)

Series	Reliance*
Diameter x Pitch	14 1/4
Yamaha Part #	68F-45978-20-00 / 68G-45978-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	75° F / 70° F
Elevation (in feet above sea level)	0"
Elevation (in feet above sea level)	0-5 MPH

COMMENTS

Test weight includes 1/2 tank of fuel, 2 batteries, hard top, safety and test gear.

YPB#: PB_KWB_263FS_t_F200XCA_2017-11-01_OCC



Engine: Yamaha F200XCA /

LF200XCA

Boat: Key West® 263 FS

Configuration: Twin

Test Date: 1-Nov-2017



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.5	1.8	3.06
1500	7.6	2.7	2.82
2000	8.8	4.4	2.00
2500	14.5	6.7	2.16
3000	22.5	7.9	2.85
3500	28.3	10.1	2.80
4000	34.0	13.7	2.48
4500	38.3	17.7	2.16
5000	43.0	24.2	1.78
5500	46.8	31.0	1.51
6100	52.5	40.4	1.30
Time to Plane: 3.50			
0-30 MPH: 5.10			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.

Boat Manufactured By:



PO Box 399 • Ridgeville, SC 29472
 (843) 873-0112
www.keywestboatsinc.com

KEY WEST 263 FS

Length	26' 3"
Beam	8' 3"
Dry Weight (Boat Mfr. Pub)	4,800 lbs
Maximum HP	600 hp
Fuel Capacity	175 gal
Weight as Tested	6,962 lbs

F250XCB / LF250XCB

Horsepower	250 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	556 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	1" Above Boat Bottom

PROPELLER(S)

Series	Saltwater Series II™
Diameter x Pitch	15-1/4
Yamaha Part #	6CE-45970-20-00 / 6CF-45970-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	82° F / 75° F
Elevation (in feet above sea level)	0"
Elevation (in feet above sea level)	5-10 MPH

COMMENTS

Test weight includes 60 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_KWB_263 FS_TW_F250XCB_10-25-2021_OCC



Engine: Yamaha F250XCB / LF250XCB

Boat: Key West 263 FS

Configuration: Twin

Test Date: 24-Oct-2021



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.1	2.7	2.26
1500	8.5	4.6	1.85
2000	12.3	7.2	1.71
2500	22.1	9.0	2.46
3000	28.8	11.7	2.46
3500	34.8	15.0	2.32
4000	39.6	21.1	1.88
4500	44.3	26.0	1.70
5000	49.0	31.2	1.57
5500	53.2	37.2	1.43
6100	59.5	50.1	1.19
Time to Plane: 2.50 seconds			
0-30 MPH: 4.15 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.